




## **Mobile Lite - R32**

**Portable Personal Emergency Response System**

Mobile Lite-R32 is a new-generation 4G/LTE PERS locator. Coming with slim and lightweight design, users can wear it as lanyard around the neck or with belt clip on the bag or cloth due to its compact size, which enables an active-aging lifestyle with safety and agility.


Mobile Lite-R32 is a great companion for sport and health given its step count feature. With built-in fall detection, comprehensive care for all seniors is achieved. Leveraging PERS with GPS and Wi-Fi technology, users can summon help with one simple button press when an emergency arises and activate two-way communication right away, which can shorten caregivers' response time significantly. All positioning information can be access via smartphone application.

Mobile Lite-R32 can act as a stand-alone PERS locator, as well as being able to integrate with RF devices such as emergency pendant and fall sensor. It is the best choice for elders who purse an active and worry-free aging life.



# Mobile Lite-R32

## Portable Personal Emergency Response System



### Features

- Portable PERS for both indoor and outdoor protection
- Built-in fall detection
- Step counter function
- Location coordinates viewable on Climax's online platform & app "My GPS Alert"
- Geofence alerts can be generated when the user leaves a defined safe area (optional)
- Extensive full-duplex two-way voice communication range
- Remote programming
- IP55 waterproof rating
- Enhanced location accuracy with GPS & Wi-fi technologies
- Integrate emergency pendants / wrist transmitters
- Remote firmware upgrade
- Automatic check-in reports

# Mobile Lite-R32

## Portable Personal Emergency Response System

### Specifications

RF Frequency	919 MHz / 869 MHz
SIM Card	Supports micro SIM card
4G/LTE Frequencies	EU: B1 (2100 MHz) / B3 (1800 MHz) / B7 (2600 MHz) / B8 (900 MHz) / B20 (800 MHz) / B28 (700 MHz) US: B2 (1900MHz) / B4 (1700MHz) / B5 (850MHz) / B12 (700MHz) / B13 (700MHz)
3G Frequencies	EU: B1 (2100 MHz) / B8 (900 MHz) US: B2 (1900MHz) / B4 (1700MHz) / B5 (850MHz)
Power Source	3.7V, 530mAh Lithium rechargeable battery x 1
Battery Life	4.5 days
Operating Temperature	-10°C to 45°C (14°F to 113°F)
Operating Humidity	Up to 85% non-condensing
Waterproof	IP67 rating
Dimensions	35.2 mm x 59.5 mm x 14.8 mm

*\*Note: Actual battery life varies with product settings, conditions, operating environment, and usage.*